PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

B24D 3/26, 3/34, 11/00, B24B 37/04 //
H01L 21/304

(11) International Publication Number: WO 99/62673

(43) International Publication Date: 9 December 1999 (09.12.99)

US

(21) International Application Number: PCT/GB99/01515

(22) International Filing Date: 1 June 1999 (01.06.99)

2 June 1998 (02.06.98)

(71) Applicants (for all designated States except US): SCAPA
GROUP PLC [GB/GB]; Oakfield House, 93 Preston New
Bood, Blockburn, Lancashire, BB2, 6AV, (GR), LAM, RE-

(71) Applicants (for all designated States except US): SCAPA GROUP PLC [GB/GB]; Oakfield House, 93 Preston New Road, Blackburn, Lancashire BB2 6AY (GB). LAM RESEARCH CORPORATION [US/US]; 4650 Cushing Parkway, Fremont, CA 94538 (US).

(72) Inventors; and
(75) Inventors/Applicants (for US only): LOMBARDO, Brian [US/US]; 11 Buckridge Drive, Amherst, NH 03031 (US). BAJAJ, Rajeev [IN/US]; 4827 Mendocino Terrace, Fremont,

(74) Agents: PHILLIPS, Patricia, Marie et al.; Wilson Gunn M'Caw, 41-51 Royal Exchange, Cross Street, Manchester M2 7BD (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: IMPROVED POLISHING PAD WITH REDUCED MOISTURE ABSORPTION

(57) Abstract

(30) Priority Data:

60/087,742

CA 94555 (US).

A polishing pad or belt or other device with increased resistance to moisture absorption for improved pianarizing effectiveness and consistency. The relatively moisture resistant polishing pad contains additives to improve wetting of the pad surface for good slurry distribution.

4000

 $\mathcal{F}_{\mathbf{k}}(\mathbf{r},\mathbf{r})$. The \mathbf{r} is the \mathbf{r} in \mathbf{r} is \mathbf{r} in \mathbf{r} . The \mathbf{r}

and the second of the second o

(x,y) = (x,y) + (x,y

(4) からない (ログラ (中) (ログランド (中) (ログランド・アンドランド)

But the second of the second o

the property of the second second

The state of the s

with the company to the constitution of the contract of

	 FOR THE PURPOSES OF INFORMATION ONLY
 i	

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

	Albania	ES	Spain		LS	Lesotho	SI	Slovenia
AL	Armenia	FI	Finland	. 7	LT	Lithuania	SK	Slovakia
AM AM	Austria	FR	France		LU	Luxembourg	SN	Senegal
AT		GA	Gabon		LV	Latvia	SZ	Swaziland
AU	Australia Azerbaijan	GB	United Kingdom		MC	Monaco	TD	: Chad
AZ	Bosnia and Herzegovina	GE	Georgia		MD	Republic of Moldova	TG	Togo
BA	_	GH	Ghana		MG	Madagascar	TJ.	Tajikistan
BB	Barbados	GN	Guinea		MK	The former Yugoslav	TM	Turkmenistan
BE	Belgium Budding France	GR	Greece			Republic of Macedonia	TR	Turkey
BF	Burkina Faso	← FIU	Hungary '65	,	ML	Mali	TT	Trinidad and Tobago
ВG	Bulgarin	IE	Ireland		MN	Mongolia	UA	Ukraine
BJ	Benin		Igrael		MR	Mauritania	UG	Uganda
BR	Brazil	IL IS	Iceland 1		MW	Malawi	US ·	United States of Americ
BY	Belarus	IT	Italy		MX	Mexico	UZ	Uzbekistan
CA	Canada	JP.	Japan		NE	Niger	VN	Viet Nam
CF	Central African Republic	KЕ	Kenya	. •	NL	Netherlands	YU	Yugoslavia
CG	Congo	KG	Kyrgyzstan		NO	Norway	zw	Zimbabwe
CH	Switzerland Côte d'Ivoire		Democratic People's		NZ,	New Zealand		
CI		1 161 1	Republic of Korea		PL	Poland	,	
CM	Cameroon	KR	Republic of Korea		PT	Portugal		
CN	China	KZ	Kazakstan		RO	Romania		
CU	Cuba	LC	Saint Lucia		RU	Russian Federation		
CZ	Czech Republic	Li	Liechtenstein		SD	Sudan		
DE	Germany	LK	Sri Lanka	-{	SE	Sweden		
DK EE	Denmark Estonia	LR	Liberia		SG	Singapore		

IMPROVED POLISHING PAD WITH REDUCED MOISTURE ABSORPTION

Cross Reference To Related Application

This is a complete application of provisional application Serial No. 60/087,742, filed June 2, 1998.

Background of the Invention

The purpose of this invention is to produce a polishing pad or belt or other device with increased resistance to moisture absorption for improved planarizing effectiveness and consistency.

Currently available polishing pads, typically polyurethane foam, are limited in effectiveness and consistency because they readily absorb moisture. In use, polishing pads are in continuous contact with aqueous slurries and cleaning solutions. Moisture absorption affects the performance of polishing pads in the following two ways:

- 1) Softening, swelling, or loss of rigidity through physical and chemical degradation, resulting in reduced planarizing effectiveness and reduced lifetime of the polishing pad,
- 2) Gradual changes in pad properties and integrity during use, resulting in unsteady and inconsistent performance.

previous attempts to make polishing pads with reduced moisture absorption or with increased resistance to degradation have been limited because the pads are too hydrophobic, resulting in poor wetting, inefficient slurry distribution, and reduced removal rates. This invention overcomes that limitation in

generally hydrophobic polishing pads through the use of hydrophilic additives.

the control of the state of the

out to progress on a first three was

Summary of the Invention

This invention comprises a relatively moisture resistant polishing pad with additives to improve wetting of the pad surface for good slurry distribution.

Brief Description of the Invention

Although the descriptions of the invention refer to pads, the invention can be in any suitable form or shape, including but not limited to sheets, belts, disks, rollers and bobs.

The polishing pad matrix material can be any polymeric material or any combination of polymeric materials, including thermoplastic and cross-linked materials, that absorbs less than 4% moisture after soaking for 24 hours.

The polishing pad can include a porous structure. The porosity can be achieved by any suitable method, including but not limited to blowing, frothing, and inclusion of filled or unfilled hollow microelements. The pores can be any combination or distribution of size, shape, and quality (open or closed cell).

The polishing pad can include any type of texturing, formed naturally or by any suitable methods. The texturing can be created during the manufacturing process, or it can be created during use.

The additives suitable for improving wetting and

distribution of slurry include any type of hydrophilic additives surfactants, and relatively polar polymeric materials including but limited to polyurethanes, polyamides, and polyesters. The additives can be liquid, solid, semi-solid, or combinations of solid and liquid. The additives can be reactive or non-reactive with the other materials in the polishing pad. The additives can be located within the polymer matrix or within the pores of the polishing material. The additives can be any shape, size, or distribution, perform additional functions and can (e.g., hydrophilic hollow beads used to increase wetting and to create porosity). The additives can remain in place and wear away with the polishing material, or they can pop out or smear to coat, fill in, or otherwise improve the interaction between the pad surface

en de la companya de la co

The second of th

, which is the state of the state $oldsymbol{t}$. The state $oldsymbol{t}$

and the second of the second o

3

We Claim:

1. A relatively moisture resistant polishing pad providing sufficient wetting of a pad surface for good slurry distribution comprising a polymeric matrix material and a hydrophilic or relatively polar polymeric additive.

- 2. The pad of claim 1 wherein the pad is in the form or shape of a sheet, belt, disk, roller or bob.
- 3. The pad of claim 1 wherein the polymeric material is thermoplastic or cross-linked material, that absorbs less than 4% moisture after soaking for 24 hours.
- 4. The pad of claim 1 wherein the pad is porous having open or closed cells.
 - The pad of claim 1 wherein the pad is textured.

Control of the first term of the first of th

- 6. The pad of claim 1 wherein the hydrophilic additive is a hydrophilic surfactant.
- 7. The pad of claim 1 wherein relatively polar polymeric additive is a polyurethane, polyamide or polyester.
- 8. The pad of claim 1 wherein the additive is liquid, solid, semi-solid, or a combination of solid and liquid.

- 9. The pad of claim 1 wherein the additive is reactive or non-reactive with the other materials in the pad.
- 10. The pad of claim 1 wherein the additive is located within the polymer matrix.
 - 11. The pad of claim 4 wherein the additive is located within the pores of the pad.

Contract to the contract of

12. The pad of claim 1 wherein the additive is a hydrophilic hollow bead used to increase wetting and to create porosity.

Land to the state of the state

13. The pad of claim 1 wherein the additive remains in place or wears away with polishing, or pops out or smears to coat, fill in, or otherwise improve the interaction between the pad surface and a polishing slurry.

 $(x,y) = (1, \dots, x, y)$ and (x,y) = (x,y) by (x,y) = (x,y)

The second secon

and the first of the second of

 $\mathcal{L}(\mathcal{L}_{\mathcal{L}}) = \mathcal{L}(\mathcal{L}_{\mathcal{L}}) + \mathcal{L}(\mathcal{L}_{\mathcal{L}}) + \mathcal{L}(\mathcal{L}_{\mathcal{L}}) + \mathcal{L}(\mathcal{L}_{\mathcal{L}})$



Intern nal Application No PCT/GB 99/01515

A. CLASSII IPC 6	FICATION OF SUBJECT MATTER B24D3/26 B24D3/34 B3	24011/00	B24B37/04	//H01L21/304		
		-				
	o International Patent Classification (IPC) or to both natio		nd IPC			
	SEARCHED cumentation searched (classification system followed b		·			
IPC 6	B24D B24B	y classification syn	isoto)			
Documental	tion searched other than minimum documentation to the	extent that such do	ocuments are included in	the fields searched		
Electronic d	ata base consulted during the international search (name	ne of data base and	t, where practical, search	n terms used)		
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT					
Category °	Citation of document, with indication, where appropria	ate, of the relevant	passages	Relevant to claim No.		
Α	US 4 613 345 A (THICKE RIC 23 September 1986 (1986-09 column 1, line 44 -column	-23)	AL)	1		
Α	US 4 728 552 A (JENSEN JR 1 March 1988 (1988-03-01) column 7, line 34 - line 5	•		1		
	I	····				
	ther documents are listed in the continuation of box C.	X	Patent family memb	ers are listed in annex.		
"A" docum consic "E" earlier filing c "L" docum which citatio "O" docum other	ent defining the general state of the lart which is not dered to be of particular relevance document but published on or after the international date ent which may throw doubts on priority claim(s) or it is cited to establish the publication date of another on or other special reason (as specified) nent referring to an oral disclosure, use, exhibition or means ent published prior to the international filling date but than the pnority date claimed	"X" ("T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention. "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone. "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family			
Date of the	actual completion of the international search		Date of mailing of the int	ernational search report		
3	30 September 1999		07/10/1999			
Name and	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016		Authorized officer Eschbach, D			

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNA ONAL SEARCH REPORT

urmation on patent family members

PCT/GB 99/01515

	Patent document cited in search report	t	Publication date	Patent family member(s)	Publication date
	US 4613345	Α	23-09-1986	NONE	
	US 4728552	Α	01-03-1988	NONE	
1					

Form PCT/ISA/210 (patent family annex) (July 1992)

the state of the s

And the second

Sugar a dividual seconda en reconservaria producti presente, a presenta de la la la la la la contrata de la contrata del contrata de la contrata de la contrata del contrata de la contrata del contrat

Att Care